

Symphony[®]

Thinking of Tomorrow

Innovative
air coolers for
**a better
tomorrow**

Symphony[®]

Thinking of Tomorrow

WORLD LEADER IN AIR COOLING
COOLING THE WORLD SINCE 1939

OUR GLOBAL COMPANIES



Symphony Limited
India



IMPCO
Mexico



Symphony Keruilai
China



Climate Technologies
Australia



Symphony Climatizadores
Brazil



Bonaire
USA



Symphony Limited, FP12-TP50 Bodakdev, Off SG Highway, Ahmedabad - 380 059, India
Email: marketing@symphonylimited.com | Website: www.symphonylimited.com



MADE IN INDIA

FEB-2023



Thinking of Tomorrow

using a Symphony cooler
is equivalent to planting 14 trees and
consumes 10 times less energy
than air conditioners.

At Symphony, we are committed to a healthier and a more sustainable future-for our planet and its people. It inspires us to think about tomorrow, today; and to strive for air coolers that will enable a greener tomorrow, every single day.

We have a long history of environmental stewardship. Our growth is guided by the core belief of doing right for the business by doing right for people and our planet. Over the years, we have been embracing the challenge of developing energy-efficient products while reducing our environmental footprint. **With this unrelenting passion, we have already taken a giant leap towards a sustainable future by being a carbon negative company as per scope 1.**

A recent study* emphasises, that using one Symphony air cooler creates a virtual carbon sink that reduces CO2 emissions by 1 tonne per year, which is equivalent to planting about **14 trees per year**. Considering that an air cooler has a 5-year lifespan, we have so far prevented more than 125 million tonnes of CO2 emissions, which is the same as planting **1.75 billion** trees.

Moreover, Symphony coolers do not emit any ozone depleting gases unlike other cooling devices that induce global warming. We pursue new ways to reduce emissions and improve energy management through conservation, and energy-efficient product design.

*To know more, visit: info.symphony.com/pcf






Symphony:
A legacy of customer-centric innovation

Symphony was founded with a unique vision to create aesthetically pleasing, energy efficient, and long lasting air coolers. Over the decades, we have consistently delivered market leading products that are designed to address the changing social trends and customer lifestyle needs with an unwavering focus on environmentally responsible, best in class cooling performance.

Driven by a robust distribution network enhanced by our subsidiaries, we are today the world's leading experts in air coolers with a rapidly growing customer base in over 60 countries across the Americas, Europe, Asia, Africa, and Australia. We offer over 70 different models of air coolers to cater to the varied air cooling needs of domestic, commercial, and industrial market segments. From the world's largest air cooling project in Mecca- Medina at the Hajj Camp, to India's largest air cooling project at the Patanjali Yoga Bhavan in Haridwar, our cooling solutions have always made a powerful impact globally. Having addressed air cooling requirements of the world over multiple generations, our brand has now become synonymous with cooling!

Cooling The World Since 1939



World Leader in Air Cooling



570+
IP rights

20
Manufacturing
facilities

60+
Countries

25 Million+
happy
customers

6
Global
Offices

80+
years of
expertise

Presence in 60+ countries

across Americas, Europe, Asia, Africa, and Australia



OUR GLOBAL COMPANIES

Symphony Limited | **India**



IMPCO | **Mexico**



Symphony Kerulai | **China**



Climate Technologies | **Australia**



Bonaire | **USA**



Symphony Climatizadores | **Brazil**



Achieving and maintaining world-class quality leadership is a top priority at Symphony. Customers trust Symphony's air coolers to be of the highest quality and provide lasting value. This conviction is a result of our uncompromising design focus and precise attention to detail.

We believe quality leadership starts with a holistic design approach across the product development life cycle. It is this relentless quality culture that keeps us at the forefront of air cooling technology.



Evaporative Air Cooling

1

A pump circulates water from the tank on to a cooling pad making it wet.

Evaporative air cooling is the most efficient and environment-friendly cooling technology which works on the principle of heat absorption by water evaporation.

2

A fan/blower draws hot air from outside the unit and forces it through the moistened pad.

3

As the air passes through the wet pad, it gets cooled by evaporation.

4

The blower and motor are sized and designed to deliver the appropriate airflow.



Uniform cooling through the season with **COOL FLOW DISPENSER**

Breathe Healthy



Enjoy clean and fresh air with the multi-stage filters of i-Pure technology



Allergy Filter



Bacteria Filter



Smell Filter



PM 2.5 Wash Filter



Dust Filter

BENEFITS OF SYMPHONY AIR COOLERS



Runs on the operating cost of a fan



Compatible with inverter power



Suitable for indoor or outdoor use



Provides fresh, filtered, and cool air



THE WORLD LEADER IN AIR COOLING COMES WITH A WORLD OF FEATURES*



Pop-up panel
Pop-up touch screen
for convenience



+Air Fan
Specially designed fan
for more air



'Easy-Fill'
For hassle-free water filling



Digital touchscreen
For ease of operation



3D Cooling
3-side honeycomb pads for
superior cooling.



Intelligent Remote
Full-function remote with timer



Magnetic Remote
Worry no more of
misplacing it!



Empty Water-tank Alarm
Reminds for filling water



System Restore Function
Remembers and restores
previous settings



SMPS Technology
Protects from voltage
fluctuations.



Dura-pump Technology
For long life of the pump



High Efficiency Cooling Pads
For enhanced cooling



Voice assist
For easy guidance



Whisper-quiet Performance
For a sound sleep



**Powerful Air Throw
with Auto-swing**
For faster cooling



Cool Flow Dispenser
Channelised water distribution
for superior cooling

*Features may vary from model to model



INDEX

Residential



- Surround i
- Surround
- Duet i-S
- Duet
- Duet mini
- Harvy i
- Harvy
- Duke
- Knight
- Diet 3D 55i+
- Diet 3D 40i
- Diet 3D 30i
- Diet 3D 20i
- Diet 3D 12i
- Diet 50i
- Diet 35i
- Diet 22i
- Diet 12i
- Diet 8i
- Sumo 75XL DD
- Sumo 115XL
- Sumo 75XL
- Sumo 40i
- Sumo 40XL
- Jumbo 75DB XL
- Jumbo 75 XL
- Jumbo 65DB
- Jumbo 65+
- Jumbo 45+ XL
- Jumbo 45DB XL
- Storm C-100i
- Storm 70XL i
- Storm 70XL
- Touch 35
- Touch 20
- Winter 80XLi
- Winter 80XL
- Winter i
- Winter XL
- Hi cool i
- Hi cool 45T
- Ice cube 27i
- Ice cube 27
- Ice cube 17i
- Ice cube 17
- HiFlo 40i
- HiFlo 27i
- Siesta 95 XL
- Siesta 70XL
- Siesta 45XL

Commercial



- Movicool DD125
- Movicool L200i
- Movicool L125
- Movicool L65-S
- Movicool XL200i
- Movicool XL100

Industrial



- PAC 25U
- PAC 20U



Indoor- Semi Outdoor



Indoor




Commercial



Industrial

SURROUND

Tower Fan



Available colors

- White
- Gray

SURROUND i

- Air delivery 650 CMH*
- Remote Control Operation
- Touchscreen control panel
- Bladeless Turbo Throw™ (BLTT) technology
- Powerful 25 ft air throw*
- Swivel action for surround air
- Consume 75 watts* only



Available colors

- White
- Gray

SURROUND

- Air delivery 650 CMH*
- Bladeless Turbo Throw™ (BLTT) technology
- Powerful 25 ft air throw*
- Swivel action for surround air
- Consume 75 watts* only





DUET i-s

- Digital touchscreen
- Oscillates on the sturdy base
- Powerful air throw
- Surround cooling
- Easy to carry
- 6L water-tank capacity
- Consume 70 watts* only

WITH A
DETACHABLE
PEDESTAL



DUET

- Oscillates on the sturdy base
- Powerful air throw
- Surround cooling
- Easy to carry
- 6L water-tank capacity
- Consume 70 watts* only



Available colors

White

Gray

DUET mini

- 3-speed modes
- Touchscreen control
- Easy to carry with ergonomic handle
- Lightweight & Portable
- Easily cleanable cooling pad

Also operates on



Laptop



Power bank



Car adapter

Features



TOUCHSCREEN
CONTROL



POWERFUL
AIR THROW



SURROUND
COOLING



EASY TO
CARRY



RESIDENTIAL



Symphony
Thinking of Tomorrow



HARVY-I

For rooms up to 10 m²*

- **All in one cooler:**
Cooling, Ventilation, humidification, Purification
- **Removable Tank**
- Full function remote
- Empty water tank alarm
- 5-speed modes
- Dust filter
- Auto swing
- 10L water-tank capacity
- Consumes 65 watts* only



HARVY

For rooms up to 10 m²*

- **All in one cooler:**
Cooling, Ventilation, humidification, Purification
- **Removable Tank**
- Powerful air throw
- Dust filter
- Auto swing
- 10L water-tank capacity
- Consumes 65 watts* only





KNIGHT

For rooms up to 16 m²*


- Modern stylish product design
- Full-function remote with 7.5-hour timer
- Fully closable louver
- Large 13L water-tank capacity
- Consumes 138 watts* only



DUKE

For rooms up to 16 m²*

- Modern stylish product design
- Full-function remote with 7.5-hour timer
- Fully closable louver
- Large 10L water-tank capacity
- Consumes 55 watts* only





DIET 3D



Pop-up Touchscreen

Easy-to-use touchscreen control panel that pops up



3D Cooling

3-side cooling pads for superior cooling experience



Magnetic remote

Sticks on the cooler body

RESIDENTIAL



Symphony
Thinking of Tomorrow



DIET 3D 55i+

For rooms up to 16 m²*

- Automatic pop-up touchscreen
- 3-side high efficiency honeycomb cooling pads
- Magnetic remote
- i-Pure technology
- Full function remote
- Large 55L water-tank capacity
- Consume 110 watts* only





DIET 3D 40i

For rooms up to 15 m²*

- Pop-up touchscreen
- 3-side high efficiency honeycomb cooling pads
- Magnetic remote
- i-Pure technology
- Full function remote
- Large 40L water-tank capacity
- Consume 110 watts* only



DIET 3D 30i

For rooms up to 14 m²*

- Pop-up touchscreen
- 3-side high efficiency honeycomb cooling pads
- Magnetic remote
- i-Pure technology
- Full function remote
- Large 30L water-tank capacity
- Consume 110 watts* only



DIET 3D 20i

For rooms up to 13 m²*

- Pop-up touchscreen
- 3-side high efficiency honeycomb cooling pads
- Magnetic remote
- i-Pure technology
- Full function remote
- Large 20L water-tank capacity
- Consume 110 watts* only



DIET 3D 12i

For rooms up to 12 m²*

- Pop-up touchscreen
- 3-side high efficiency honeycomb cooling pads
- Magnetic remote
- i-Pure technology
- Full function remote
- Large 12L water-tank capacity
- Consume 110 watts* only





RESIDENTIAL



Symphony
Thinking of Tomorrow



DIET 50i

For rooms up to 16 m²*

- Full function remote with 7-hour timer
- i-Pure technology
- Empty water-tank alarm
- High efficiency honeycomb pad
- Powerful blower
- Large 50L water-tank capacity
- Consume 170 watts* only





DIET 35i

For rooms up to 15m²*

- Full function remote with 7-hour timer
- i-Pure technology
- Empty water-tank alarm
- High efficiency honeycomb pad
- Powerful blower
- Large 35L water-tank capacity
- Consume 170 watts* only



DIET 22i

For rooms up to 14 m²*

- Full function remote with 7-hour timer
- i-Pure technology
- Empty water-tank alarm
- High efficiency honeycomb pad
- Powerful blower
- Large 22L water-tank capacity
- Consume 170 watts* only



DIET 12i

For rooms up to 12 m²*

- Full function remote with 7-hour timer
- i-Pure technology
- High efficiency honeycomb pad
- Powerful blower
- Large 12L water-tank capacity
- Consumes 95 watts* only



DIET 8i

For rooms up to 10 m²*

- Full function remote with 7-hour timer
- i-Pure technology
- High efficiency honeycomb pad
- Powerful blower
- Large 8L water-tank capacity
- Consumes 95 watts* only





SUMO



Specially designed
+Air fan for more air



High efficiency honeycomb
pads for superior cooling



i-Pure console with
multistage air purification filters



'Easy-Fill' for hassle-free
water filling

SUMO 75XL DD

For rooms up to 50 m²*

- **Unique double decker design for wide area cooling with high level air throw**
- **+Air Fan**
- **Easy-Fill**
- High efficiency honeycomb pads for superior cooling
- i-Pure console with multistage filters
- Large 75L water-tank capacity
- Consumes 350 watts* only



SUMO 115XL

For rooms up to 40 m²*

- **+Air Fan**
- **Easy-Fill**
- **High efficiency honeycomb pads for superior cooling**
- i-Pure console with multistage filters
- Large 115L water-tank capacity
- Consumes 185 watts* only



SUMO 75XL

For rooms up to 37 m²*

- **+Air Fan**
- **Easy-Fill**
- **High efficiency honeycomb pads for superior cooling**
- i-Pure console with multistage filters
- Large 75L water-tank capacity
- Consumes 185 watts* only





SUMO 40i

For rooms up to 16 m²*

- 3-side high efficiency honeycomb pads
- i-Pure technology
- Full function remote
- Cool Flow Dispenser for better cooling
- Powerful fan
- Large 40L water-tank capacity
- Consumes 95 watts* only



SUMO 40XL

For rooms up to 16 m²*

- 3-side high efficiency honeycomb pads
- i-Pure technology
- Cool Flow Dispenser for better cooling
- Powerful fan
- Large 40L water-tank capacity
- Consumes 95 watts* only





RESIDENTIAL



Symphony

Thinking of Tomorrow



JUMBO 75i

For rooms up to 25 m²*


- Large pad area for superior cooling
- Cool Flow Dispenser for superior cooling
- Whisper-quiet performance
- Powerful fan
- Large 75L water-tank capacity
- Consumes 110 watts* only



JUMBO 75DB XL

For rooms up to 23 m²*

- Powerful double blower
- Fully closable louvers
- Large pad area for superior cooling
- Cool Flow Dispenser for better cooling
- Large 75L water-tank capacity
- Consumes 225 watts* only





FREE
TROLLEY*

JUMBO 65DB

For rooms up to 28 m²*

- Powerful double blower
- Fully closable louvers
- Large pad area for superior cooling
- Cool Flow Dispenser for better cooling
- Large 61L water-tank capacity
- Consumes 235 watts* only



FREE
TROLLEY*

JUMBO 65+

For rooms up to 25 m²*

- Large pad area for superior cooling
- Cool Flow Dispenser for superior cooling
- Whisper-quiet performance
- Powerful fan
- Large 61L water-tank capacity
- Consumes 110 watts* only



FREE
TROLLEY*

JUMBO 45 DB

For rooms up to 22 m²*

- Powerful double blower
- Fully closable louvers
- Large pad area for superior cooling
- Cool Flow Dispenser for better cooling
- Large 41L water-tank capacity
- Consumes 225 watts* only



FREE
TROLLEY*

JUMBO 45+

For rooms up to 20 m²*

- Large pad area for superior cooling
- Cool Flow Dispenser for superior cooling
- Whisper-quiet performance
- Powerful fan
- Large 41L water-tank capacity
- Consumes 110 watts* only





STORM C-100i

For rooms up to 45 m²*

- Touch panel
- Full function remote with on/off timer
- i-Pure technology
- 3-side honeycomb cooling pads
- Powerful fan
- Large 95L water-tank capacity
- Consumes 210 watts* only



STORM 70i

For rooms up to 30 m²*

- LCD control panel
- Full function remote with on/off timer
- i-Pure technology
- 3-side honeycomb cooling pads
- Powerful blower with 7-speed option
- Large 70L water-tank capacity
- Consumes 280 watts* only



STORM 70XL

For rooms up to 37 m²*

- i-Pure technology
- 3-side honeycomb cooling pads
- Powerful fan
- Automatic vertical swing
- Cool Flow Dispenser for better cooling
- Large 70L water-tank capacity
- Consume 210 watts* only





TOUCH 35
For rooms up to 18 m²*

- Detachable Tank
- Digital touchscreen
- Voice assist
- i-Pure technology
- Full-function remote with 7-hour timer
- Closable louvers
- Large 35L water-tank capacity
- Consumes 185 watts* only



TOUCH 20
For rooms up to 16 m²*

- Detachable Tank
- i-Pure technology
- High efficiency honeycomb pad
- Cool flow dispenser for better cooling
- Closable louvers
- Large 20L water-tank capacity
- Consumes 180 watts* only





WINTER 80XLi

For rooms up to 40 m²*


- Full function remote with timer
- 4-side high efficiency cooling pads
- i-Pure technology
- Empty water tank alarm
- Cool Flow Dispenser for better cooling
- Whisper-quiet performance
- Large 80L water-tank capacity
- Consumes 190 watts* only



WINTER 80XL

For rooms up to 40 m²*

- 4-side high efficiency honeycomb pads
- i-Pure technology
- Cool Flow Dispenser for better cooling
- Whisper-quiet performance
- Large 80L water-tank capacity
- Consumes 190 watts* only



WINTER i

For rooms up to 37 m²*


- Full function remote with timer
- 4-side high efficiency cooling pads
- i-Pure technology
- Empty water tank alarm
- Cool Flow Dispenser for better cooling
- Whisper-quiet performance
- Large 56L water-tank capacity
- Consumes 190 watts* only



WINTER XL

For rooms up to 37 m²*

- 4-side high efficiency cooling pads
- Cool Flow Dispenser for better cooling
- i-Pure technology
- Whisper-quiet performance
- Large 56L water-tank capacity
- Consumes 190 watts* only





HiCOOL i

For rooms up to 17 m²*

- Dura-pump technology
- Full function remote with timer
- i-Pure technology
- High efficiency honeycomb pad
- Large 31L water-tank capacity
- Consume 185 watts* only



HiCOOL 45T

For rooms up to 17 m²*

- Dura-pump technology
- Powerful air throw with auto-swing
- i-Pure technology
- High efficiency honeycomb pad
- Large 45L water-tank capacity
- Consume 185 watts* only





ICE CUBE 27i

For rooms up to 16 m²*

- Full function remote with 7-hour timer
- 3-side high efficiency honeycomb pads
- i-Pure technology
- Cool Flow Dispenser for better cooling
- Powerful fan
- Large 27L water-tank capacity
- Consumes 105 watts* only



ICE CUBE 27

For rooms up to 16 m²*

- 3-side high efficiency honeycomb pads
- i-Pure technology
- Cool Flow Dispenser for better cooling
- Powerful fan
- Large 27L water-tank capacity
- Consume 105 watts* only



ICE CUBE 17i

For rooms up to 16 m²*


- Full function remote with 7-hour timer
- 3-side high efficiency honeycomb pads
- i-Pure technology
- Cool Flow Dispenser for better cooling
- Powerful fan
- Large 17L water-tank capacity
- Consume 105 watts* only



ICE CUBE 17

For rooms up to 16 m²*

- 3-side high efficiency honeycomb pads
- i-Pure technology
- Cool Flow Dispenser for better cooling
- Powerful fan
- Large 17L water-tank capacity
- Consumes 105 watts* only





HiFLO 40i

For rooms up to 18 m²*

- Full function remote with 7-hour timer
- Powerful air throw
- Cool Flow Dispenser for superior cooling
- High efficiency honeycomb pad for superior cooling
- i-Pure technology
- Large 40L water-tank capacity
Consumes 150watts* only



HiFLO 27i

For rooms up to 16 m²*

- Full function remote with 7-hour timer
- Powerful air throw
- Cool Flow Dispenser for superior cooling
- High efficiency honeycomb pad for superior cooling
- i-Pure technology
- Large 27L water-tank capacity
Consumes 150watts* only





SIESTA 95XLS

For rooms up to 34 m²*

- High efficiency honeycomb pads
- i-Pure technology
- Cool Flow Dispenser for superior cooling
- Powerful fan
- Large 95L water-tank capacity
- Consumes 150 watts* only



SIESTA 70XL

For rooms up to 34 m²*

- High efficiency honeycomb pads
- i-Pure technology
- Cool Flow Dispenser for superior cooling
- Powerful fan
- Large 70L water-tank capacity
- Consumes 150 watts* only



SIESTA 45XL

For rooms up to 30 m²*

- Cool flow dispenser for superior cooling
- i-Pure technology
- Powerful fan
- Large pad area for superior cooling
- Large 45L water-tank capacity
- Consumes 150 watts* only





SPECIFICATIONS* & FEATURES




Parameters		Surround i	Surround	Duet i-s	Duet	Duet mini	Harvy i	Harvy	Knight	Duke	Diet 3D 55i+
For rooms up to	(m ²)*	-	-	-	-	-	10	10	16	16	16
Engg. Plastic (blower/fan)		Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower
Wattage (W)*	230V/50Hz	75	75	70	70	DC 5V	65	65	138	55	110
	220V/60Hz	-	-	-	-	-	-	-	-	-	175
	110V/60Hz	-	-	-	-	-	-	-	110	65	170
Water-tank capacity	(up to brim-L)	-	-	6	6	1	10	10	13	10	55
Pop-up panel		-	-	-	-	-	-	-	-	-	✓
3-side pads		-	-	-	-	-	✓	✓	-	-	✓
i-Pure technology		-	-	-	-	-	-	-	-	-	✓
Remote control		✓	-	-	-	-	✓	-	✓	✓	✓
Auto louver Movement		-	-	-	-	-	✓	✓	✓	✓	✓
Cool flow dispenser		-	-	✓	✓	-	✓	✓	✓	✓	✓
Empty tank alarm		-	-	-	-	-	✓	-	✓	✓	✓
Cooling media		-	-	Honeycomb	Honeycomb	Coolpad	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Product dimensions (mm)	Length	250	250	390	260	150	290	290	390	260	450
	Breadth	320	320	390	260	150	300	300	330	275	390
	Height	1120	1120	975	470	220	460	460	890	740	1340
Carton dimensions (mm)	Length	300	300	335	305	170	325	325	420	410	351
	Breadth	370	370	335	305	170	325	325	380	320	412
	Height	1180	1180	566	521	240	457	657	910	755	1315
Product weight (kgs)		7.1	7.1	5.7	4.2	0.7	4.9	4.9	8.3	5.5	10.3
Product weight (incl. pack) (kgs)		9.5	9.5	7.8	5.8	1.0	5.9	5.9	10.9	7.0	13.4
No. of units per 40ft. HC container		502	502	840	1365	6480	1007	1007	416	693	370

* Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within ± 15% of the specified value. All products are subject to continuous improvement. Tank capacity is up to the brim. The company reserves the right to change specifications without any prior notice. Images of the products are for representation only. The actual product color/features/size may vary. + Limited period offer.



Diet 3D 40i	Diet 3D 30i	Diet 3D 20i	Diet 3D 12i	Diet 50i	Diet 35i	Diet 22i	Diet 12i	Diet 8i	Sumo 75XL DD	Sumo 115XL	Sumo 75XL
15	14	13	12	16	15	14	12	10	50	40	37
Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Fan	Fan	Fan
110	110	110	110	170	170	170	95	95	350	185	185
175	175	175	175	175	185	185	95	95	380	200	200
170	170	170	170	175	185	185	110	105	370	190	190
40	30	20	12	50	35	22	12	8	75	115	75
✓	✓	✓	✓	-	-	-	-	-	-	-	-
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-
Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
458	380	320	320	430	430	430	300	300	707	707	707
390	350	300	300	360	360	360	330	330	480	480	480
1150	950	833	770	1345	1155	943	845	780	1798	1288	1073
351	360	348	348	363	363	340	340	340	730	730	731
412	338	338	338	414	414	350	350	350	476	480	476
1125	932	832	767	1315	1125	932	832	767	1706	1200	1020
9.2	8.0	7.5	7.3	10.5	9.1	8.0	7.7	6.3	26.6	15.4	13.4
11.2	9.5	8.9	8.6	13.5	11.6	9.4	9.1	7.5	29.1	20.4	16.7
422	590	665	714	360	416	630	665	714	75	150	150




SPECIFICATIONS* & FEATURES

Parameters		Sumo 40i	Sumo 40XL	Jumbo 75i	Jumbo 75DB XL	Jumbo 65DB	Jumbo 65+	Jumbo 45+ XL
For rooms up to	(m ²)*	18	18	25	23	28	35	23
Engg. Plastic (blower/fan)		Fan	Fan	Fan	Blower	Blower	Fan	Fan
Wattage (W)*	230V/50Hz	95	95	110	225	235	170	110
	220V/60Hz	110	110	110	280	280	110	110
	110V/60Hz	105	105	120	280	280	120	120
Water-tank capacity	(up to brim-L)	40	40	75	75	61	61	41
Pop-up panel		-	-	-	-	-	-	-
3-side pads		✓	✓	✓	✓	✓	✓	✓
i-Pure technology		✓	✓	✓	✓	-	-	✓
Remote control		✓	-	✓	-	-	-	-
Auto louver Movement		✓	✓	✓	✓	✓	✓	✓
Cool flow dispenser		✓	✓	✓	✓	✓	✓	✓
Empty tank alarm		-	-	-	-	-	-	-
Cooling media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Aspen	Aspen	Honeycomb
Product dimensions (mm)	Length	450	450	560	560	684	684	539
	Breadth	310	310	446	446	660	660	446
	Height	980	980	1044	1044	808	808	721
Carton dimensions (mm)	Length	490	490	568	568	726	726	570
	Breadth	330	330	468	468	683	683	468
	Height	980	980	1120	1120	845	845	761
Product weight (kgs)		7.8	7.8	11.0	14.0	15.4	13.5	8.4
Product weight (incl. pack) (kgs)		9.8	9.8	14.0	17.0	19.8	18.5	10.7
No. of units per 40ft. HC container		384	384	200	200	153	153	315



Jumbo 45DB	Storm C-100i	Storm 70i	Storm 70XL	Touch 35	Touch 20	Winter 80XLi	Winter 80XL	Winter i	Winter XL	HiCool i
22	45	30	37	18	16	40	40	37	37	17
Blower	Fan	Blower	Fan	Blower	Blower	Fan	Fan	Fan	Fan	Blower
225	210	280	210	185	180	190	190	190	190	185
280	250	350	210	200	195	200	200	200	200	195
280	280	365	205	190	185	195	195	195	190	210
41	95	70	70	35	20	80	80	56	56	31
-	-	-	-	-	-	-	-	-	-	-
✓	✓	✓	✓	-	-	✓	✓	✓	✓	-
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
-	✓	✓	-	✓	-	✓	-	✓	-	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
-	✓	✓	-	✓	-	✓	-	✓	-	✓
Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
539	635	635	635	470	470	630	630	630	630	500
446	500	500	500	350	350	445	445	445	445	380
721	1290	1125	1125	813	690	1270	1270	1105	1105	915
570	600	600	600	552	552	682	682	682	682	555
468	475	475	475	400	400	502	502	502	502	430
761	1350	1175	1175	830	705	1265	1265	1100	1100	885
11.48	14.9	14.5	13.8	9.2	8.13	12.9	12.9	12.1	12.1	8.3
13.94	19.0	17.8	17.1	11.5	10.13	17.1	17.1	15.8	15.8	10.7
315	148	188	188	380	470	148	148	148	148	333

* Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within ± 15% of the specified value. All products are subject to continuous improvement. Tank capacity is up to the brim. The company reserves the right to change specifications without any prior notice. Images of the products are for representation only. The actual product color/features/size may vary. + Limited period offer.




SPECIFICATIONS* & FEATURES

Parameters		Hi Cool 45T	Ice cube 27i	Ice cube 27	Ice cube 17i	Ice cube 17	HiFlo 27	HiFlo 40
For rooms up to	(m ²)*	17	16	16	16	16	16	18
Engg. Plastic (blower/fan)		Blower	Fan	Fan	Fan	Fan	Blower	Blower
Wattage (W)*	230V/50Hz	185	105	105	105	105	150	150
	220V/60Hz	195	110	110	110	110	-	-
	110V/60Hz	210	105	105	105	105	-	-
Water-tank capacity	(up to brim-L)	45	27	27	17	17	27	40
Pop-up panel		-	-	-	-	-	-	-
3-side pads		-	✓	✓	✓	✓	-	-
i-Pure technology		✓	✓	✓	✓	✓	✓	✓
Remote control		-	✓	-	✓	-	-	-
Auto louver Movement		✓	✓	✓	✓	✓	✓	✓
Cool flow dispenser		✓	✓	✓	✓	✓	✓	✓
Empty tank alarm		-	-	-	-	-	-	-
Cooling media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Product dimensions (mm)	Length	500	450	450	450	450	450	450
	Breadth	380	305	305	305	305	317	317
	Height	1060	831	831	701	701	831	980
Carton dimensions (mm)	Length	555	493	493	493	493	493	493
	Breadth	430	329	329	329	329	359	359
	Height	1030	840	840	710	710	840	980
Product weight (kgs)		8.9	6.6	6.6	6.5	6.5	7.7	8.7
Product weight (incl. pack) (kgs)		11.8	8.3	8.3	8.5	8.5	9.8	10.7
No. of units per 40ft. HC container		266	504	504	616	616	468	312



Siesta 95XLS	Siesta 70XL	Siesta 45XL
36	34	30
Fan	Fan	Fan
150	150	150
180	180	180
195	195	195
95	70	45
-	-	-
✓	✓	✓
✓	✓	-
-	-	-
✓	✓	✓
✓	✓	✓
-	-	-
Honeycomb	Honeycomb	Honeycomb
618	618	618
505	505	505
1210	1115	1025
675	675	675
532	532	532
1190	1110	1020
13.8	12.1	11.5
18.5	16.6	15.0
146	150	150

* Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within ± 15% of the specified value. All products are subject to continuous improvement. Tank capacity is up to the brim. The company reserves the right to change specifications without any prior notice. Images of the products are for representation only. The actual product color/features/size may vary. + Limited period offer.



MOVICOOOL

Portable Air Coolers
for large spaces



Powerful air throw
for faster cooling



3-side honeycomb cooling
pads for enhanced cooling



Robust weather resistant
body for long life



MOVICOOOL DD 125

8500 + 8500 m³/hr* air delivery

- **Powerful 20m / 20m* air throw for faster cooling**
- **3-side high efficiency honeycomb pads**
- **Robust weather resistant body for long life**
- Fully closable horizontal louvers
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Float valve for auto water filling
- Lockable heavy-duty wheels
- Low power consumption - 435 watts* only

Suitable for:

Residences | Restaurants | Banquet Halls | Workshops | Warehouses | Hospitals | Outdoor events
and many more..





MOVICOOOL L 200i

8500 m³/hr* air delivery

- Powerful 25m* air throw for faster cooling
- 3-side high efficiency honeycomb pads
- Robust weather resistant body for long life
- Digital touchscreen & full function remote
- Fully closable horizontal louvers
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Float valve for auto water filling
- Lockable heavy-duty wheels
- Low power consumption - 245 watts* only



MOVICOOOL L 125

8500 m³/hr* air delivery

- Powerful 25m* air throw for faster cooling
- 3-side high efficiency honeycomb pads
- Robust weather resistant body for long life
- Fully closable horizontal louvers
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Float valve for auto water filling
- Lockable heavy-duty wheels
- Low power consumption - 245 watts* only





65L

MOVICOOL L 65-S

8500 m³/hr* air delivery

- Powerful 25m* air throw for faster cooling
- 3-side high efficiency honeycomb pads
- Robust weather resistant body for long life
- Fully closable horizontal louvers
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Float valve for auto water filling
- Lockable heavy-duty wheels
- Low power consumption - 245 watts* only



MOVICOOL XL 200i

18000 m³/hr* air delivery

- Powerful 30m* air throw for faster cooling
- 3-side high efficiency honeycomb pads
- Robust weather resistant body for long life
- Digital touchscreen & full function remote
- Fully closable horizontal louvers
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Float valve for auto water filling
- Large water inlet door
- Lockable heavy-duty wheels
- Low power consumption - 625 watts* only





MOVICOOL XL 100

18000 m³/hr* air delivery

- **Powerful 26m* air throw for faster cooling**
- **3-side high efficiency honeycomb pads**
- **Robust weather resistant body for long life**
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Float valve for auto water filling
- Lockable heavy-duty wheels
- Low power consumption - 625 watts* only



SPECIFICATIONS* & FEATURES

Parameters		Movicool DD 125	Movicool L200i	Movicool L125	Movicool L65i-S	Movicool XL 200i	Movicool XL 100
Nominal max airflow	m ³ / h *	8500+8500	8500	8500	8500	18000	18000
Engg. Plastic (blower/fan)		Fan	Fan	Fan	Fan	Fan	Fan
Wattage (W)*	230V/50Hz	435	245	245	245	625	625
	220V/60Hz	-	-	-	-	-	-
	110V/60Hz	-	-	-	-	-	-
Water-tank capacity	(up to brim-L)	125	200	125	65	200	100
Cooling capacity*		-	-	-	-	-	-
3-side pads		✓	✓	✓	✓	✓	✓
Remote control		-	✓	-	-	✓	-
Auto louver Movement		-	✓	✓	✓	✓	✓
Cool flow dispenser		✓	✓	✓	✓	✓	✓
Empty tank alarm		-	-	-	-	-	-
Cooling media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Product dimensions (mm)	Length	870	870	870	870	1125	1125
	Breadth	440	440	440	440	725	725
	Height	2100	1700	1400	985	1790	1560
Carton dimensions (mm)	Length	890	890	1100	900	1145	1145
	Breadth	460	460	460	470	745	745
	Height	2160	1770	1270	1075	1710	1510
Product weight (kgs)		40.4	29.1	24.45	18.2	52.65	46.3
Product weight (incl. pack) (kgs)		42.8	30.4	35	22.4	59.15	51.3
No. of units per 40ft. HC container		63	63	100	152	32	32

* Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within ± 15% of the specified value. All products are subject to continuous improvement. Tank capacity is up to the brim. The company reserves the right to change specifications without any prior notice. Images of the products are for representation only. The actual product color/features/size may vary. + Limited period offer.



VENTI-COOLING. MULTIPLE BENEFITS.

LARGE SPACE COOLING

ONLY ONE UNIT CAN COOL
UP TO 2500 SQ.FT.

90% LESSER ELECTRICITY
CONSUMPTION THAN AC SYSTEM

EASY AND QUICK INSTALLATION
IN JUST A COUPLE OF HOURS



INDUSTRIAL



Symphony
Thinking of Tomorrow

VENTI-COOL 20U

Universal air cooler



Features



Modular units suitable for any area.
One unit can cool up to 2000 sq.ft.*



1.1 kW motor for powerful
air delivery of 20000 CMH



Cool Flow Dispenser
for enhanced cooling



Four side cooling pads
for superior cooling



Weather resistant UV Stabilized
engineering plastic body



Symphony accessories for easy and
quick installation in a couple of hours



VENTI-COOL 25U

Universal air cooler



Features



Modular units suitable for any area.
One unit can cool up to 2500 sq.ft.*



1.5 kW motor for powerful
air delivery of 25000 CMH



Cool Flow Dispenser
for enhanced cooling



Four side cooling pads
for superior cooling



Weather resistant UV Stabilized
engineering plastic body



Symphony accessories for easy and
quick installation in a couple of hours

TECHNICAL SPECIFICATIONS



Parameter	Venti-Cool 20U	Venti-Cool 25U
Discharge	Top / Down	Top / Down
Nominal air delivery (cmh)	20000	25000
Cooling area (sq.ft.)	up to 2000	up to 2500
Net weight (kg)	53	69
Operating weight (kg)	115 / 89	131 / 105
Input power supply (V/Hz/Ph)	230/50/1	415/50/3
Motor power (kw)	1.1	1.5
Outside dimensions (LxBxH in mm)	1140 x 1140 x 1130	1140 x 1140 x 1130
Air outlet dimensions (HxW in mm)	670 x 670	670 x 670
Body material	UV Stabilized Engineering Plastic	UV Stabilized Engineering Plastic
Tank capacity (ltr.)	70 / 40	70 / 40
Air moving device	Fan	Fan
Fan diameter (mm)	620	620
Cooling media	Honeycomb pads	Honeycomb pads
Pad thickness (mm)	100	100
Cooling surface area of pad (sq.mtr.)	1.6	2.6
Minimum cooling efficiency (%)	80	80
Number of speeds (nos.)	1	1
Duct length (ft.)	up to 60	up to 80
Air outlets (nos.)	up to 8	up to 12
Container quantity (40HQ)	60 (SKD)	54 (SKD)

Note: Must use suitable rated protective devices like Single phase preventer, Voltage stabilizer, Spike buster, etc.

* Use suitable water supply with TDS less than 400 ppm

* Under test condition DB38°C/WB23°C

* Above specifications, external appearance and colours are subject to change without prior notice, and, actual measurements may vary within +/-15% of specified values.

+ Average cost of power consumption

^ Conditions apply

